

Munix





STAPLERS



25001



25002



25017



25004



25013



25003



25009



25007



25011



25016



25010



25102



25125



25103



25104

	STAPLE USE	LOADING CAPACITY	STAPLING CAPACITY	REMOVER	PINNING	TACKING	EDGE STAPLING	THROAT DEPTH	LENGTH	VIEWING SLOT	QUICK LOADING	COLOUR
25001	No.10	50	10	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	17	38	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25002	No.10	50	10	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	28	57	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25003	No.10	50	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	52	98	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25004	No.10	50	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	52	93	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25007	No.10	100	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	63	105	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25009	No. 10	50	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	52	96	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25010	No.10	50	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	65	113	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25011	No.10	100	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	63	105	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25013	No.10	50	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	52	90	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25016	No.10	100	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	63	110	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25017	No.10	50	10	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	41	78	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25102	24/6, 26/6	50	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	35	70	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25103	24/6, 26/6	50/100	30	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	64	115	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25104	24/6, 26/6	50/100	30	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	64	120	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
25125	24/6, 26/6	50	12	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	40	85	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>



STAPLERS



25106



25123



25115



25108



25107



25109



25023



25024



25118



25119



25120



25121



25110



25122



25113

	STAPLE USE	LOADING CAPACITY	STAPLING CAPACITY	REMOVER	PINNING	TACKING	EDGE STAPLING	THROAT DEPTH	LENGTH	VIEWING SLOT	QUICK LOADING	COLOUR
25023	No. 10	50	10	<input type="radio"/>				26	68	<input type="radio"/>	<input type="radio"/>	
25024	No. 10	100	15	<input type="radio"/>				58	117	<input type="radio"/>	<input type="radio"/>	
25106	24/6, 26/6	50/100	30		<input type="radio"/>	<input type="radio"/>		64	120	<input type="radio"/>	<input type="radio"/>	
25107	24/6-8, 26/6-8	150/210	30/40		<input type="radio"/>			106	187	<input type="radio"/>	<input type="radio"/>	
25108	24/6, 26/6	100/150	30		<input type="radio"/>	<input type="radio"/>		86	148	<input type="radio"/>	<input type="radio"/>	
25109	24/6-8, 26/6-8	150/210	30/40		<input type="radio"/>	<input type="radio"/>		106	187	<input type="radio"/>	<input type="radio"/>	
25113	24/6, 26/6	50/100	30	<input type="radio"/>		<input type="radio"/>		64	118	<input type="radio"/>	<input type="radio"/>	
25115	24/6, 26/6	50/100	20			<input type="radio"/>		84	128			
25118	24/6, 26/6	50	15	<input type="radio"/>				30	75	<input type="radio"/>	<input type="radio"/>	
25119	24/6, 26/6	50/100	25			<input type="radio"/>		45	114	<input type="radio"/>	<input type="radio"/>	
25120	24/6-26/6	50/100	25	<input type="radio"/>		<input type="radio"/>		60	135	<input type="radio"/>	<input type="radio"/>	
25121	24/6-26/6	150/210	25			<input type="radio"/>		93	185	<input type="radio"/>	<input type="radio"/>	
25123	24/6-26/6	50/100	20			<input type="radio"/>		64	118	<input type="radio"/>	<input type="radio"/>	
25110	24/6-26/6	50/100	30					320	405	<input type="radio"/>	<input type="radio"/>	
25122	24/6-8, 26/6-8	150/210	30/40					320	405	<input type="radio"/>	<input type="radio"/>	



LESS EFFORT - FLAT CLINCH STAPLERS **NEW**

55%[#]
Less effort



25603

55%[#]
Less effort



25604

45%[#]
Less effort




25605 (With By-Pass feature)*

45%[#]
Less effort




25606 (With By-Pass Feature)*

**SAVES
UPTO 30%
FILING SPACE**




By-Pass Feature

* It allows you to staple 2-40 sheets with same staple size.




Flat Clinch
Conventional Clinch

Stronger and secure Flat Clinch



Flat Clinch
Conventional Clinch

Totally Flat Clinch closing



Conventional Clinch
Flat Clinch

Conventional Clinch
Flat Clinch



LESS EFFORT STAPLERS **NEW**

50%[#]
Less effort



25025

45%[#]
Less effort











25124

45%[#]
Less effort



25128

	STAPLE USE	LOADING CAPACITY	STAPLING CAPACITY	THROAT DEPTH	LENGTH	VIEWING SLOT	QUICK LOADING	COLOUR
								
25025	No.10	50	20	47	94	○	○	●●●●●●●●
25124	24/6, 26/6	50/100	30	52	110	○	○	●●●●●●●●
25603	No.10	100	20	30	81	○	○	●●●●●●●●
25604	No.10	100	20	37	108	○	○	●●●●●●●●
25605	24/6-8, 26/6-8	50/100	30/40	48	132	○	○	●●●●●●●●
25606	24/6-8, 26/6-8	150/210	30/40	84	185	○	○	●●●●●●●●
25128	24/6, 26/6	150/210	30	99	178	○	○	●●●●●●●●

*As compared to normal staplers



STAPLERS



25201



25202



25211



25221



25203




25222

	STAPLE USE	LOADING CAPACITY	STAPLING CAPACITY	PINNING	EDGE STAPLING	THROAT DEPTH	LENGTH	VIEWING SLOT	QUICK LOADING	COLOUR
25201	No.10	100	20			45	170			●●
25202	No.10	100	20	○		40	168			●●
25203	No.10	150	20	○	○	55	173	○	○	○
25211	24/6, 26/6	50/100	30	○		45	175			○●
25221	24/6-8, 26/6-8	150/210	30/40	○		50	174	○	○	○●
25222	24/6-8, 26/6-8	150/210	30/40	○		55	173	○	○	○



HEAVY DUTY STAPLERS



*Less stapling force

	STAPLE USE	LOADING CAPACITY	STAPLING CAPACITY	PINNING	THROAT DEPTH	LENGTH	VIEWING SLOT	COLOUR
25150	23/6~23/17	100	140		75	370x80x210	<input type="radio"/>	<input type="radio"/>
25151	23/6~23/13	100	100	<input type="radio"/>	63	270x65x180	<input type="radio"/>	<input type="radio"/>
25152	23/6~23/17	100	140		63	286x80x215	<input type="radio"/>	<input type="radio"/>
25153	23/6~23/17	200	140		250	520x120x291	<input type="radio"/>	<input type="radio"/>
25154	23/6~23/24	100	210		63	300x90x230	<input type="radio"/>	<input type="radio"/>

*As compared to normal heavy duty staplers



HEAVY DUTY STAPLERS



25158



25157



25159



25160

Staple storage compartment



	STAPLE USE	LOADING CAPACITY	STAPLING CAPACITY	THROAT DEPTH	LENGTH	VIEWING SLOT	QUICK/FRONT LOADING	COLOUR
25157	23/6~23/13	100	100	60	256x60x121		Quick	
25158	23/6~23/15	100	120	80	332x76x206		Front	
25159	23/6~23/20	100	170	80	382x85x245		Front	
25160	23/6~23/24	100	210	80	382x85x273		Front	

*As compared to normal heavy duty staplers



GUN TACKERS



25503



25504




25506



25507



25509



25501



25502



25508

STAPLE USE



SIZE LxWxH



VIEWING SLOT



COLOUR



25501	24/6, 24/8, 24/10, T-8, T-10 & T-13	182x36x157	○	●
25502	TR-13/4, 13/6, 13/8, 13/10 & 13/14	182x36x157	○	●
25503	24/6, 24/8, 24/10, 23/6, T-8 & T-10	185x27x122	○	●
25504	TR-13/4, 13/6, 13/8 & 13/10	185x27x122	○	●
25506	24/6, 24/8, 24/10, T-8 & T-10	139x29x154	○	●
25507	TR-13/6, 13/8 & 13/10	139x29x154	○	●
25508	23/6, 23/8, 23/10, 23/13, No.8 (Brad Nail) & No.9 (Pin Nail)	155x26x188	○	●
25509	23/6, 23/8, 23/10, T-8 & T-10	139x29x154	○	●



STAPLE REMOVERS



26004



26005



26003



26001



26002

	REMOVE STAPLE	LENGTH mm	COLOUR	
26001		Upto 23/24	116	
26002		Upto 23/17	142	
26003		No.10, 24/6, 26/6, B8(1/4")	141	
26004		No.10, 24/6, 26/6, B8(1/4"), US standards	58	
26005		No.10, 24/6, 26/6, B8(1/4"), US standards	58	







BINDER PUNCH



250/Box



20201



	PUNCHING CAPACITY	PUNCHING DIA	SIZE LxWxH	COLOUR
20201	 2.00	 4.50	 160x102x24	 CHROME



SLOT PUNCH



20043



	PUNCHING CAPACITY	PUNCHING HOLE	SIZE LxWxH	COLOUR
20043	 0.8 (30mil)	 15x4	 28x152x91	 ●



PAPER PUNCHES



20001



20006



20002



20012



20044



20045



20008



20015



20005



20007



20010



20016

	PUNCHING CAPACITY	PUNCHING DIA	PUNCHING DISTANCE	4-HOLE PUNCHING	SIZE LxWxH	COLOUR
20001	1.0	4.50, 6.00			130x60x16	CHROME
20002	1.2	5.50	80		105x65x56	●●●●●●
20005	2.5	5.50	80	○	105x86x97	○●●●●●
20006	1.1	5.50	80		104x60x58	○●●●●●
20007	2.5	5.50	80	○	97x105x84	○●●●●●
20008	2.2	5.50	80		108x116x94	○●●●●●
20010	2.2	5.50	80		109x99x84	○●●●●●
20012	1.2	5.50	80	○	105x65x57	○●●●●●
20015	2.2	5.50	80	○	108x116x94	○●●●●●
20016	2.2	5.50	80	○	109x99x84	○●●●●●
20044	1.6	5.50	80		108x73x70	○●●●●●
20045	1.6	5.50	80	○	108x73x70	○●●●●●





PAPER PUNCHES



20037



20038




20039



20041



20042



20020




20025



20030



20301



20302



20040

	PUNCHING CAPACITY	PUNCHING DIA	PUNCHING DISTANCE	4-HOLE PUNCHING	SIZE LxWxH	COLOUR
20037	1.00	5.50	80		102x55x58	
20038	2.00	5.50	80		106x97x95	
20039	3.00	5.50	80		106x107x111	
20041	4.00	5.50	80		124x144x147	
20042	6.00	5.50	80		124x176x188	
20020	3.60	6.00	80		126x145x125	
20025	3.60	6.00	80		126x145x135	
20030	6.30	5.50	80		122x202x187	
20040	1.60	6.00	80X80X80		277X84X78	
20301	1.00	7.00	Adjustable		285X57X68	
20302	1.60	6.00	108x108		277X84X78	



HEAVY DUTY PUNCHES



Replacement Spare Parts

Punch Blade



KC-160-120
for
20102
20104
20106

KC-320-120
for
20101
20103

KC-150-120
for
20108

Plastic Disc



KC-160-109
for
20101
20102
20103
20104
20106

	PUNCHING CAPACITY	PUNCHING DIA	PUNCHING DISTANCE	4-HOLE PUNCHING	SIZE LxWxH	COLOUR
20101					260x145x348	
20102	15.00	6 & 7.00	70/80		350x155x380	
20103	29.00	6.00	70/80		350x155x415	
20104	15.00	6 & 7.00	108x108		350x286x380	
20106	15.00	6.00	80x80x80		350x310x380	
20108	15.00	6.00	80		425x135x440	



HEAVY DUTY PUNCHES




Replacement Spare Parts



KC-160N-121 for 20109, 20111, 20112
 KC-320N-121 for 20110
 KC-160N-127 for 20109, 20110, 20111, 20112

Easy Punch Blade Replacement



Spares storage compartment



	PUNCHING CAPACITY	PUNCHING DIA	PUNCHING DISTANCE	4-HOLE PUNCHING	SIZE LxWxH	COLOUR
20109					340x160x404	
20110	15.00	6.00	80		389x160x476	
20111	30.00	6.00	80		378x296x440	
20112	15.00	6 & 7.00	108X108		378x315x440	
	15.00	6.00	80x80x80		378x315x440	




STAPLES



STAPLE SIZE	STAPLES PER BOX	STAPLES PER STRIP	INNER PACK	SHIPPING CARTON
No.10-1M	1000	50	20 Boxes	800(1x20x40)
No.10-5M	5000	100	10 Boxes	200(1x10x20)
No.10-1M Coloured	1000	50	10 Boxes	800(1x10x80)
24/6-1M	1000	50	20 Boxes	300(1x20x15)
24/6-5M	5000	50	10 Boxes	100(1x10x10)
26/6-1M	1000	100	20 Boxes	600(1x20x30)
26/6-5M	5000	100	10 Boxes	100(1x10x10)
24/8-1M	1000	50	20 Boxes	200(1x20x10)
26/8-1M	1000	100	20 Boxes	600(1x20x30)
23/6	1000	100	20 Boxes	200(1x20x10)
23/8-H	1000	100	20 Boxes	200(1x20x10)
23/10-H	1000	100	10 Boxes	100(1x10x10)
23/13-H	1000	100	10 Boxes	100(1x10x10)
23/15-H	1000	100	10 Boxes	100(1x10x10)
23/17-H	1000	100	10 Boxes	100(1x10x10)
23/20-H	1000	100	10 Boxes	100(1x10x10)
23/24-H	1000	100	10 Boxes	100(1x10x10)
B8-1M	1000	100	20 Boxes	600(1x20x30)
B8-5M	5000	105	10 Boxes	100(1x10x10)
No.8-2M	2000	100	10 Boxes	500(1x10x25x2)
T-8	1000	72	10 Boxes	200(1x10x20)
T-10	1000	72	10 Boxes	100(1x10x10)
T-13	1000	72	10 Boxes	100(1x10x10)
TR-13/4	5000	157	10 Boxes	100(1x10x10)
TR-13/6	5000	157	10 Boxes	100(1x10x10)
TR-13/8	5000	157	10 Boxes	100(1x10x10)
TR-13/10	5000	157	10 Boxes	50(1x10x5)
TR-13/14	5000	157	10 Boxes	50(1x10x5)



NOTES



www.munichinternational.com